

Q.A.

ФАКУЛТЕТ ПО МАТЕМАТИКА И ИНФОРМАТИКА



Software Engineering Institute Carnegie Mellon



Осигуряване на качество на софтуера (2017/2018/2019/2020/2021/2022 редовно/задочно)

based on: Software Quality Management Models

[SEMP Program course, in collaboration with Carnegie Mellon University]

Dr. George SharkovFMI/PU & ESI Center Eastern Europe/Bulgaria www.esicenter.bggesha@esicenter.bgDr. Maya StoevaFMI/PUmay vast@yahoo.com

МАТЕРИАЛИ:

http://edesign-bg.com/courses.html

http://edesign-bg.com/courses/software-quality-2018-19/ESICEE_QA_2018digestv22FMI-PU.pdf



Информация, източници:

ESI Center Eastern Europe - Resources:



https://esicenter.bg/resources Education > Resources > (Software) Quality Management - CMMI (+ the links: - model in pdf ver 1.3)





> Access V 1.3 to download CMMI – DEV v 1.3 model (free, upon registration)

old SEI repository – VALID for FREE DOWNLOAD: https://resources.sei.cmu.edu/asset_files/TechnicalReport/2010_005_001_15287.pdf



https://en.wikipedia.org/wiki/Capability Maturity Model Integration

General sources (Software Engineering, Quality)

www.sei.cmu.edu

http://resources.sei.cmu.edu/library/

www.esicenter.bg

www.cmmiinstitute.com



Къде сме?

_							
1		Увод в управление на качеството. Компоненти и цена на качеството. Процеси. Преглед на моделите за управление на качеството и подобряване на процесите. Методи за оценка на зрелостта на ИТ-интензивни и софтуерни организации. Стратегически карти/Балансирана система от показатели (balanced ScoreCards).					
2		Модел СММІ (ver 1.3). История, внедряващи организации. Обща структура. Процесни области. Генерични и специфични цели и практики. Презентации – Maturity/Capability нива на Continuous и Staged representations. Категории процесни области: Process Management, Project Management, Engineering, Support.					
3	3	Процесни области от ниво 2 на СММІ. Детайлно представяне на:					
		REQM – Requirements Management					
PP – Project Planning							
		MA – Measurement and Analysis					
PPQA – Process and Product Quality Assurance							
CM – Configuration Management							
		PMC – Project Monitoring and Control					
L		Преглед на:SAM-Supplier Agreement Management					
4	· I	Процесни области от ниво 3 на СММІ. Детайлно представяне на:					
		RD – Requirements Development					
	ľ	VAL - Validation					
	ľ	VER - Verification					
		RSKM - Risk Management					
		TS - Technical Solution					
		Преглед на: DAR - Decision Analysis and Resolution, IPM - Integrated Project Management, OPD - Organizational Process Definition, OPF -					
		Organizational Process Focus, OT - Organizational Training, PI - Product Integration					
		Преглед на Maturity Level 4 и 5.					
\vdash	_	Обобщение на връзките между процесните области: Tying all together					
5		Внедряване на програма за подобряване на процесите на база СММІ. Адаптирани подходи – Agile CMMI, CMMI/ISO. Нови модели СММІ –					
		CMMI for Services, CMMI for Acquisition. Оценка (SCAMPI), роли.					
6		Подобряване на процесите в малки фирми – IT Mark. Компненти на зрелостта – бизнес, организация/процеси, информационна сигурност.					
	1	Оценка на нивото и план за подобрения.					




CMMI (SEI/CMU, CMMI Institute/ISACA) reference model & de facto industrial standard

_							
5	Focus on process improvement					Optimizing Measurably increased process capabilities	
4	Process measured and controlled					/ Managed al and other quantitative nanaging the processes	
3	Process characterized for the organization and is proactive				efined ommonality among projects allows ore uniform estimation of performance.		
2	Process characterized for projects and is often reactive	•Requirements •Plans are dev		eloped in accordance with policies. performed in accordance with plans.			
1	Process unpredictable, poorly controlled and reactive	•	 Measurements and reviews occur at defined points. The product flows out and (usually) works 				



Remember: CMMI Representations






Remember: Evolution of Process Capability

Level	Process Characteristics	Predicted Performance
5 Optimising	Process improvement is institutionalised	Handbatking
Quantitatively Managed	Product and process are quantitatively controlled	Hime/\$/
3 Defined	Software engineering and management processes are defined and integrated	Time/\$/
2 Managed	Project management system is in place; performance is repeatable	Time/\$/
1 Initial	Process is informal and unpredictable	Time/\$/




Structure of the CMMI Staged Representation





What's in the model & book: Process Area Components





Remember:

Maturity Levels Cannot Be Skipped


- A level provides a necessary foundation for effective implementation of processes at the next level.
 - Higher level processes are easily sacrificed without the discipline provided by lower levels.
 - The effect of innovation is obscured in a noisy process.

Higher maturity level processes may be performed by organisations at lower maturity levels, with risk of not being consistently applied in a crisis.



About Generic Goals and Institutionalization


The degree of institutionalization is embodied in the generic goals and expressed in the names of the processes associated with each goal as indicated below.



* This generic goal is only used in the continuous representation.

Sample Level 1 Organization


few processes in place





Sample Level 2 Organization


many processes in place; but they are project-specific



Softwa

Sample Level 3 Organization

processes based on organization's Process Asset Library (PAL)





ML2 GG&GPs

GG2: Institutionalize a Managed Process

What should be applied to all PAs (from ML2 and up):

- GP2.1: Establish an Organizational Policy
- GP2.2: Plan the Process
- GP2.3: Provide Resources
- GP2.4: Assign Responsibility
- GP2.5: Train People
- GP2.6: Control Work Products
- GP2.7: Identify and Involve Relevant Stakeholders
- GP2.8: Monitor and Control the Process
- GP2.9: Objectively Evaluate Adherence

GP2.10: Review Status with Higher Level Management



Maturity Levels & GPs

Maturity Level 2

- Requirements management
- Project planning
- Project monitoring and control
- Supplier agreement management
- Measurement and analysis
- Process and product quality assurance
- Configuration management

GP 2.1 Establish organizational policy

- GP 2.2 Plan the process
- GP 2.3 Provide resources
- GP 2.4 Assign responsibility
- GP 2.5 Train people
- GP 2.6 Control Work Products (Manage configuration)
- GP 2.7 Identify and involve relevant stakeholders
- GP 2.8 Monitor and control the process
- GP 2.9 Objectively evaluate adherence
- GP 2.10 Review status with higher level management

Maturity Level 3

- Requirements development
- Technical solution
- Product integration
- Verification
- Validation
- Organizational process focus
- Organizational process definition + IPPD
- Organizational training
- Integrated project management + IPPD
- Risk management
- Decision analysis and resolution


GP 3.1 Establish a defined process GP 3.2 Collect improvement information



compete by excellence

How PAs relate to Generic Practices?

Example: Plan the plan (plan the process of project planning)



Source: Kiril Karaatanasov, ESI Center Bulgaria




Note

The CMMI model is not a process!

The CMMI model describes the characteristics of effective processes and "WHAT TO DO-s"


"All models are wrong, but some are useful."

George Box (Quality and Statistics Engineer)





Remember: ML1: Performance Is Unpredictable



Requirements flow in.


A product is (sometimes) produced by some amorphous process.

The product flows out and (we hope) works.



Corporate excellence – INTERNAL

The corporate excellence is BASED on good internal processes



"The quality of a product is largely determined by the quality of the process that is used to develop and maintain it."


PROCESS

Based on TQM principles as taught by Shewhart, Juran, Deming and Humphrey.



Remember: ML2: Processes are "Managed"

Processes characterized for **PROJECTS** and often reactive



Requirements flow in.

- Plans are developed in accordance with policies.
- Activities are performed in accordance with plans.
- Measurements and reviews occur at defined points.
- The product flows out and **(usually) works**.



ML2: Managing the Project Involves

- Understand and commit to the requirements
- Estimating the scope and work that needs to be performed
- Developing mechanisms to acquire identified products
- Developing a project plan
- Getting commitments to the plan
- Working with suppliers to acquire identified products
- Monitoring progress against the plan
- Identifying and analyzing risks
- Taking action to address significant deviations from the plan
- Taking action to appropriately mitigate risks



Project Management PAs (overview)

Requirements management (REQM)

o SG1: Manage requirements

ML3: Requirements Development

- SG 1 Develop Customer Requirements
- SG 2 Develop Product Requirements
- **o** SG 3 Analyze and Validate Requirements

Project Planning (PP)

- SG1: Establish Estimates
- SG2: Develop a project plan
- SG3: Obtain Commitment to the plan

Project Monitoring and Control (PMC)

- o SG1: Monitor Project Against Plan
- SG2: Manage Corrective action to closure



Think about: What Product/SW Development Needs?

Establishing and maintaining sets of requirements

- o customer requirements
- product requirements
- product component requirements
- managing the requirements as the product evolves



ML3: Requirements Development

The purpose of Requirements Development (RD) is to produce and analyze **customer, product**, and product **component** requirements.

SG 1 Develop Customer Requirements

Stakeholder needs, expectations, constraints, and interfaces are collected and translated into customer requirements.




SG 2 Develop Product Requirements

Customer requirements are refined and elaborated to develop product and product component requirements. **SG 3 Analyze and Validate Requirements** The requirements are analyzed and validated, and a


definition of required functionality is developed.



Requirements Management and Requirements Development




www.esicenter.bg









SG 1 Develop Customer Requirements

Stakeholder needs, expectations, constraints, and interfaces are collected and translated into customer requirements.

SG 2 Develop Product Requirements

Customer requirements are refined and elaborated to develop product and product component requirements.

SG 3 Analyze and Validate Requirements

The requirements are analyzed and validated, and a definition of required functionality is developed.



Importance of Requirements Development

Present complete clear validated requirements understood by all parties

Establish solid **foundation** for downstream activities



Benefits of Proper Requirements Development

Development team and customer share the same vision of what is to be developed, tested and supported

Requirements are easily traceable to/from downstream work products

Acceptance by customer of downstream products is easy & swift

Low risk of increased costs to meet customer needs and expectations



Terminology

- Allocated Requirement Requirement that levies all or part of the performance and functionality of a higher level requirement on a lower level architectural element or design component.
- **Derived Requirement** Requirements that are not explicitly stated in the customer requirements, but are inferred (1) from contextual requirements (e.g., applicable standards, laws, policies, common practices, and management decisions), or (2) from requirements needed to specify a product component. Derived requirements can also arise during analysis and design of components of the product or system. (See also "product requirements.")



Terminology II

Customer Requirement - The result of eliciting, consolidating, and resolving conflicts among the needs, expectations, constraints, and interfaces of the product's relevant stakeholders in a way that is acceptable to the customer. (See also "customer.")

Product Requirement - A refinement of the customer requirements into the developers' language, making implicit requirements into explicit derived requirements. (See also "derived requirements" and "product component requirements.") The developer uses the product requirements to guide the design and building of the product.

Product Component Requirements - A complete specification of a product component, including fit, form, function, performance, and any other requirement.




SG 1 Develop Customer Requirements

SP 1.1 Elicit Needs

Elicit stakeholder needs, expectations, constraints, and interfaces for all phases of the product lifecycle.

SP 1.2 Transform Stakeholder Needs into Customer Requirements

Transform stakeholder needs, expectations, constraints, and interfaces into customer requirements.





www.esicenter.bg

SG 2 Develop Product Requirements

SP 2.1 Establish Product and Product Component Requirements


Establish and maintain product and product component requirements, which are based on the customer requirements.

SP 2.2 Allocate Product Component Requirements

Allocate the requirements for each product component.

SP 2.3 Identify Interface Requirements

Identify interface requirements.





SG 3 Analyze and Validate Requirements

SP 3.1 Establish Operational Concepts and Scenarios

Establish and maintain operational concepts and associated scenarios.

SP 3.2 Establish a Definition of Required Functionality

Establish and maintain a definition of required functionality.

SP 3.3 Analyze Requirements


Analyze requirements to ensure that they are necessary and sufficient.

SP 3.4 Analyze Requirements to Achieve Balance

Analyze requirements to balance stakeholder needs and constraints.


SP 3.5 Validate Requirements

Validate requirements to ensure the resulting product will perform as intended in the user's environment.





Requirements Development Sampling of Work Products





How Requirements Development interacts with other Process Areas

Who does RD depend upon?

- Requirements Management (ML2:REQM) for managing requirements
- Technical Solution (ML3:TS) for development of alternative solutions and identification of product components
- Risk Management (ML3:RSKM) for identification and management of requirements risks
- Who depends on RD?
 - Requirements Management (ML2:REQM) takes requirements from RD
 - Product Integration (ML3:PI) takes interface requirements
 - Verification & Validation (ML3: VER & VAL)



ReqView Download Free Trial Pricing Blog Roadmap Documentation Support



ISO/IEC/IEEE 29148 Requirements Specification Templates

Search

С

- GET STARTED
 - Contents
- Installation
- **Ouick** Start
- Requirements
- Projects
- **Review Documents**
- Edit Documents
- Keyboard Shortcuts
- Templates
- **Example Project**
- Example
- Documents
- IMPORT
- Import from MS Word
- Import from MS Excel
- Import ReqIF from

ISO/IEC/IEEE 29148:2018 — *ISO/IEC/IEEE International Standard — Systems and software engineering — Life cycle processes — Requirements engineering* is the latest international standard describing requirements engineering processes for development of software and hardware products.

It obsoletes the well known standard for software requirements specifications: IEEE 830-1998 — IEEE Recommended Practice for Software Requirements Specifications.

Requirements Specifications

You can reuse Document Templates for the following standard requirements specifications:

- · Business Requirements Specification (BRS) describing business or mission requirements,
- System Operational Concept (OpsCon) describing stakeholder needs,
- · Stakeholder Requirements Specification (StRS) describing stakeholder requirements,
- · System Requirements Specification (SyRS) describing system requirements,
- Software Requirements Specification (SRS) describing software requirements.

These Document Templates preserve structure of sections provided in the standard and define requirements attributes supporting the requirements process described in the standard.

Template Instructions

The standard provides detailed information about the requirements engineering process for software and system products and we strongly recommend it as the primary source of information for using the Document Templates in your projects.


If you create a new document from one of the templates above (see **Requirements Projects > Set up Projects > Create Documents**) then the application displays detailed guidance from the standard in the *Instructions* pane:

Table of Contents Requirements Specifications Template Instructions Attributes Example References



compete by excellence

www.esicenter.bg



Requirements Management (REQM)

The purpose of Requirements Management (REQM) is to **manage the requirements** of the project's products and product components and to identify inconsistencies between those requirements and the project's plans and work products.



SG1: Manage Requirements

Requirements are managed and inconsistencies with project plans and work products are identified.

The process area also has generic goals to support institutionalization.



When Requirements Management Is Not Done Well...

Requirements are accepted by staff from **any source** they deem to be authoritative.

The project experiences a high level of **requirements changes**.

There are high levels of rework throughout the project.

There is an inability to prove that the **product meets the approved requirements**.

Lack of requirements traceability often results **in incomplete or incorrect testing** of the product.



Relevant Terminology

Requirements traceability

A discernable association between requirements and related requirements, implementations, and verifications.

Bidirectional traceability

An association among two or more logical entities that is discernable in either direction (i.e., to and from an entity).




Requirements Management (REQM) Specific Practices

- SP 1.1 Obtain an **Understanding** of Requirements
- SP 1.2 Obtain **Commitment** to Requirements
- SP 1.3 Manage Requirements Changes
- SP 1.4 Maintain **Bidirectional Traceability** of Requirements
- SP 1.5 **Identify Inconsistencies** between project work and requirements



Requirements Management Context



Softwale

REQM Practices implementation:

- Acceptance criteria in place?
- Requirements comply to criteria?
- Is understanding reached and is it documented? How?
- Who are the relevant stakeholders?
- Did they agree to requirements?
- Is the commitment documented? How?
- All requirements and their changes documented?
- Requirements change history and rationale documented?
- Are changes evaluated by affected stake holders?
- Bi-directional traceability among the requirements and the project plans and work products maintained?
- Are the project plan/activities/work products reviewed to assess the consistency with the (changed) requirements?
- If inconsistencies have been are corrective actions initiated to solve them?



Remember:

Defects - Insertion Pattern & Cost of Removal

	Require-	Design	Code	Software	System	Field
	ments			Test	Test	Use
Where Defects are Introduced	10%	40%	60%			
Relative Cost to Fix	\$1	\$1	\$1	\$6	\$12	\$100

Source: SEPG Asia Pacific 2009 presented by Ravindra Nath, KUGLER MAAG CIE GmbH

compete by



www.esicenter.bg

compete by excellence

GP 2.3: Provide resources

Provide adequate resources for performing the requirements management process, developing the work products, and providing the services of the process.

Elaboration for Requirements Management

Examples of resources provided include the following tools:

- Requirements tracking tools
- Traceability tools



www.esicenter.bg

GP 2.5: Train People

Train the people performing or supporting the requirements management process as needed.

Elaboration for Requirements Management

Examples of training topics include the following:

- Application domain
- · Requirements definition, analysis, review, and management
- Requirements management tools
- Configuration management
- Negotiation and conflict resolution

GP 2.6: Manage Work Products (Configurations) Place designated work products of the requirements management process under appropriate levels of control.

Elaboration for Requirements Management

Examples of work products placed under control include the following:

- Requirements
- Requirements traceability matrix

Remember: Why do we need bidirectional traceability???




Figure 1: Bidirectional (Forward & Backward) Traceability

ESI Software Kontu Secure Farger

compete by excellence

compete by excellence

GP 2.7: Identify and Involve relevant Stakeholders Identify and involve the relevant stakeholders of the requirements management process as planned.

Elaboration for Requirements Management

Select relevant stakeholders from customers, end users, developers, producers, testers, suppliers, marketers, maintainers, disposal personnel, and others who **may be affected by, or may affect**, the product as well as the process.

Examples of activities for **stakeholder involvement** include the following:

- Resolving issues on the understanding of the requirements
- Assessing the impact of requirements changes
- Communicating the bidirectional traceability
- Identifying inconsistencies among project plans, work products, and requirements




GP 2.10: Review Status with Higher Level Management Review the activities, status, and results of the requirements management process with higher level management and resolve issues.

Elaboration for Requirements Management Proposed changes to **commitments to be made external to the organization** are reviewed with higher level management to ensure that all commitments **can be accomplished**.



Where Requirements Development stands in the model?









CMMI V2.0 [Next Generation CMMI]

REQUIREMENTS DEVELOPMENT AND MANAGEMENT (RDM)

- Combined REQM (ML2) and RD (ML3)
- New approach to ML and indicators
- Adapted to Agile organizations
- Process areas >>> Practice areas



CMMI V2.0 REQUIREMENTS DEVELOPMENT AND MANAGEMENT (RDM)

Level 1

RDM 1.1 Record requirements

Level 2

- RDM 2.1 Elicit stakeholder needs, expectations, constraints, and interfaces or connections. (RD SP 1.1)
- RDM 2.2 Transform stakeholder needs, expectations, constraints, and interfaces or connections into prioritized customer requirements. (RD SP 1,1, 3.2)
- RDM 2.3 Develop an understanding with the requirements providers on the meaning of the requirements. (REQM SP 1.1.)
- RDM 2.4 Obtain commitment from project participants that they can implement the requirements. (REQM SP 1.2)
- RDM 2.5 Develop, record, and maintain bidirectional traceability among requirements and activities or work products. (REQM SP 1.4)
- RDM 2.6 Ensure that plans and activities or work products remain consistent with requirements. (REQM SP 1.4)

Level 3

- RDM 3.1 Develop and keep requirements updated for the solution and its components. (RD SP 2.1)
- RDM 3.2 Develop operational concepts and scenarios. (RD SP 3.1, 3.2)
- RDM 3.3 Allocate the requirements to be implemented. (RD SP2.2)
- RDM 3.4 Identify, develop, and keep updated interface or connection requirements. (RD SP 2.3)
- RDM 3.5 Ensure that requirements are necessary and sufficient. (RD SP 3.3)
- RDM 3.6 Balance stakeholder needs and constraints. (RD SP 3.4)
- RDM 3.7 Validate requirements to ensure the resulting solution will perform as intended in the target environment. (RD SP 3.5)



www.esicenter.bg



Project Management PAs (overview)

Requirements management (REQM)

• SG1: Manage requirements

ML3: Requirements Development

- SG 1 Develop Customer Requirements 0
- SG 2 Develop Product Requirements Ο
- SG 3 Analyze and Validate Requirements 0

Project Planning (PP)

- SG1: Establish Estimates
- SG2: Develop a project plan
- o SG3: Obtain Commitment to the plan

Project Monitoring and Control (PMC)

- SG1: Monitor Project Against Plan
- SG2: Manage Corrective action to closure 0



Think about: What a typical Project Plan includes?

- Resources
- Budget
- Schedule (Milestones)
- Stakeholders
- Commitments dependencies, deliverables
- Data Plan
- Knowledge and skills Training
- Risks



PP: Project Planning

The purpose of Project Planning (PP) is to establish and maintain plans that define project activities.



ALS SG1: Establish Estimates

Estimates of project planning parameters are established and maintained.

<u>SG2: Develop a Project Plan</u> A project plan is established and maintained as the basis for managing the project.

SG3: Obtain Commitment to the Plan Commitments to the project plan are established and maintained.



www.esicenter.bg

When Project Planning Is Not Done Well...

Estimates of project attributes are inaccurate.

It is difficult to **identify deviations** from poorly documented plans.

Resources are not available/applied when needed.

Future projects cannot learn from completed projects because there are **no lessons learned**.



Relevant Terminology

Project

A managed set of interrelated resources which delivers one or more products to a customer or end user. A project has a definite beginning (i.e., project startup) and typically operates according to a plan. Such a plan is frequently documented and specifies what is to be delivered or implemented, the resources and funds to be used, the work to be done, and a schedule for doing the work. A project can be composed of projects.


Program

(1) A project. (2) A collection of related projects and the infrastructure that supports them, including objectives, methods, activities, plans, and success measures.

Work breakdown structure (WBS) An arrangement of work elements and their relationship to each other and to the end product.

WBS


Project Planning Context -1





www.esicenter.bg


Project Planning Context -2





PP example 1: Work Breakdown: Planning the "What"

How do you eat an elephant?





What is in WBS - example

Research

Survey users

- create questionnaire
- find users
- analyze results

Competition research

- make the list
- analyze
- document key points

Gather requirements

- interview marketing department
- interview sales department
- get content

Design

Information architecture

- Create interaction map
- Create sitemap
- Plan content
- Copywriting
- Discussion and review

Visual design

- Choose color palette
- Decide on typography
- Create comps
- Asset production

Development

Front-end

- Set layout
- Write HTML
- Write CSS
- Responsiveness
- Header
- Footer

Back-end

- Set integrations
- Create admin area
- Log-in
- Cookies
- Security

Review

Test

- A/B tests
- Usability
- Test back-end

Present to the client

- Arrange a meeting
- Prepare documentation
- Present
- Gather feedback
- Evaluate next steps





ADAM SAVAGE'S WORKSHOP

Step One: Make a List

E SWORL MINE LA

THE LA LOOPER

WARDER BUT SHALL PROPERTY

FORTET BAR (LOODER)

DEL TEMPLATE

ATTAKE GRANT

M SPACE AVE

CARE

D GALLE GUA

M dyears successed

If you think any detail is too small to write down in your initial project plan, you're going to get it wrong.

I love lists. Always have, When I was 14, I wrote down every dirty word I knew on file cards and placed them in alphabetical order. I have a thing about collections, and a list is a collection with purpose.

Lists are how I parse and manage the world. I make lists for fun (I have more than 17,000 palindromes) and to relax (I can eliminate distractions and focus on what's important). But mostly I make lists for projects. This can be daunting. Breaking something big into its constituent parts will help you organize your thoughts, but it can also force you to confront the depth of your ignorance and the hugeness of the task.

That's OK. The project may be the lion, but the list is your whip.

The first thing I write down is whatever I hope to end up with-a Maltese Falcon, a Hellboy hand, or a map of all of Middleearth (at the end of the Third Age, of course). That used to be the header in a notebook. Now it's generally the name of a folder on my computer, and the list of tasks will be a series of subfolders and sub-subfolders.

When I want to build something, I'll start collecting images, drawings, and information in the main folder. After a few weeks or

CHARLES WY O Shunetit . A LISTER TH CONCERNE PROVED OTTUNATE SAFE W (XE BOCTS BIRLE HERE Socie Str

"Withpild

DSPACETY -Carry Acapter Charles (W) \$ Sec. 205 BALL GATHERS # IT CAMPER T

6 sabore 10 Phene CLAMPS @ MALENE SAN

TOWERS SHITCH VESTS (an TRUKE?) ((CULERTONE UT THE CASES ME?)

SANT STACKE PALLA BENEDLESI JACAN # DEPANDIE TO 3/7" DIA BIG BLE J THE FRANCE

If you think any detail is too small to write down in your initial project plan, you're going to get it wrong.

> FILL CANTER WHILL FOR MANY Cill SAFETT AND + Count of will Point Es Switte BAR

ALPESL TETE

atro.

OFTIMET D

DELIMERT

ACTIVITES (AT ME MORACE)

of what I've already done makes the list of what's left to do a bit manageable. And when I'm finished, this folder will be my diary of the project. It's something I'll keep forever.

Just like that collection of dirty words.

ADAM SAVAGE (adamsavage.com) is a sculptor, special-effects fabra and cohost of Discovery Channel's MythBusters.

WBS ?

Daropeter Softwaie Inshinit

Contra Shorton Family:

What


is this?

months, I'll parcel this raw info into subfolders. If I'm building a spacesuit, I'll make separate subfolders for the helmet, gloves, boots, front control module. backpack, and so on. Unforeseen challenges-the checklists on the wrists of NASA's Apolio-era suits, for instance-will get even more subfolders.

Eventually I'll create a folder called Adam's Progress. As I chug along, I take photos with my phone and drop them into this folder for a quick reference of how far I've come. These images provide inspiration and momentum. A list

How:


Project Planning Context -3





www.esicenter.bg

Project Planning Context -4




www.esicenter.bg

Contra Shorton Family:

PP example 2: Project Timeline: Planning the "When"

- deadline-driven planning
- quality-driven planning





PP example 3: Task Assignment: Planning the "Who"

Responsibility Assignment Matrix (RACI).

RACI matrix defines four roles a person can have on a task:

•Responsible - owns the task, works on it, and their duty is to see it gets completed

•Accountable - must approve the work and sign-off before it can be completed

•Consulted - has the necessary information without which a task can't be completed

•Informed - needs to know the final outcome, but doesn't need to be consulted



PP example 4: Automate Planning

Once you've planned one dev project, you've planned them all


Recurring tasks

common tasks that you create often, like every day, week, or month define them once, set how often they should be created

Here are some tasks you can put on auto-pilot:


- Daily standup meeting
- Monthly progress meeting
- Client meeting
- Review contracts with lawyer
- Check team performance every week
- Create a projects report every Monday
- Perform backup each week
- Check unpaid invoices
- Pay office bills
- Invoice work at the end of the month
- Contact an old client to keep in touch

Project Planning Context -5





Project Planning Context -6





Project Planning "translated":

- The Project Planning involves:
 - Developing the project plan
 - Getting commitment to the plan
 - \circ Maintaining the plan
- Planning begins with requirements that define the product/project.
- Planning includes:
 - Estimating the attributes of the work products/tasks
 - Determining the resources needed
 - Negotiating commitments
 - Producing a schedule
 - Identifying and analyzing project risks
- The project plan will usually need to be revised to address:
 - o changes in requirements/commitments
 - inaccurate estimates
 - corrective actions
 - process changes
- "Project plan" the overall plan for controlling the project.



Project Planning actions:

- Is there **WBS/Project work packages** based on project's workproducts? ٠
- Work products to be externally acquired/reused identified? •
- Technical approach of work products determined? • (Development strategy – client-server/distributed, technologies)
- Duration, people, knowledge, inputs, outputs, infrastructure, etc. for the ٠ project determined and how (what methods)?
- Resources required estimated? ٠
- Project life cycle/phases determined? ٠
- Project schedule and budget established? ٠
- Risks that can affect to the project identified, documented and revised? ٠
- Project data management issues addressed? ٠
- Knowledge and skills requirements identified and addressed? •
- Stakeholders identified, and project tasks related to them according their ٠ expertise?
- Project plan established and commitments to it identified and • documented?
- Is the project plan reviewed and actualized? www.esicenter.ba

compete by excellence

www.esicenter.ba

Sampling the Generic Practices

GP 2.2: Plan the Process


Establish and maintain the plan for performing the project planning process.

Or PLAN THE PLAN !!!

Elaboration for Project Planning Refer to Table 6.2 in Generic Goals and Practices in Part Two for more information about the relationship between generic practice 2.2 and the Project Planning process area.



How PP relates to Generic Practices?



Source: Kiril Karaatanasov, ESI Center Bulgaria



Planning example:

sampling Gantt Charts

Critical Path Analysis – CPA

PERT - Program Evaluation and Review Technique: shortest, most likely, longest

(optimistic, realistic, pessimistic)



SW Project Plan – example - 1

Figure 1. Gantt Chart Example: Planning a custom-written computer project

Task	Earliest start	Length	Туре	Dependent on
A. High level analysis	Week 0	1 week	Sequential	
B. Selection of hardware platform	Week 1	1 day	Sequential	А
C. Installation and commissioning of hardware	Week 1.2	2 weeks	Parallel	В
D. Detailed analysis of core modules	Week 1	2 weeks	Sequential	A
E. Detailed analysis of supporting modules	Week 3	2 weeks	Sequential	D
F. Programming of core modules	Week 3	2 weeks	Sequential	D
G. Programming of supporting modules	Week 5	3 weeks	Sequential	E
H. Quality assurance of core modules	Week 5	1 week	Sequential	F
I. Quality assurance of supporting modules	Week 8	1 week	Sequential	G
J. Core module training	Week 6	1 day	Parallel	C,H
K. Development and QA of accounting reporting	Week 5	1 week	Parallel	E
L. Development and QA of management reporting	Week 5	1 week	Parallel	E
M. Development of Management	Wook 6	1 wook	Sequential	I

Step 1. List all activities in the plan


Sequential and parallel activities

Courtesy to <u>www.mindtools.com</u>



SW Project Plan – example - 2 Gantt Chart

Figure 3: Critical Path Analysis: Activities Scheduled on a Gantt Chart



SW Project Plan – example - 3 Critical Path

http://www.mindtools.com/pages/article/newPPM_03.htm

By drawing this example Gantt Chart, you can see that:

If all goes well, the project can be completed in 10 weeks.

If you want to complete the task as rapidly as possible, you need:

1 analyst for the first 5 weeks.

1 programmer for 5 weeks starting week 4.

1 programmer/QA expert for 3 weeks starting week 6. Note: Activities L and M have been moved back a week. This does not affect the critical path, but it does mean that a single programming/QA resource can carry out all three of activities K, L and M.

Analysis, development and testing of supporting modules are essential activities that must be completed on time.


Hardware installation and commissioning is not time-critical as long as it is completed before the Core Module Training starts.

Courtesy to <u>www.mindtools.com</u>



SW Project Plan – example - 4 Critical Path Analysis

Figure 5: Critical Path Analysis for Example Computer Project



Courtesy to www.mindtools.com



www.esicenter.bg

SW Project Plan – example - 5 CPA and PERT

Critical Path Analysis (CPA) - method of assessing:

- What tasks must be carried out.
- Where parallel activity can be performed.
- The shortest time in which you can complete a project.
- Resources needed to execute a project.
- The sequence of activities, scheduling and timings involved.
- Task priorities.
- The most efficient way of shortening time on urgent projects.

PERT (Program Evaluation and Review Technique) is a variant of Critical Path Analysis that takes a more skeptical view of the time needed to complete each project stage:

shortest, most likely, longest

or optimistic, realistic, pessimistic

Courtesy to <u>www.mindtools.com</u>



MoSCoW method

Мо

- 1. Non-negotiable
- 2. Minimum viable product
- Unable to deliver the end product without this
- 4. Not legal with it
- 5. Unsafe without it
- Without this project is not viable



- 1. Important but not vital
- Maybe painful to leave out but the solution is still viable
- May need some kind of workaround



- Desirable but not as important as Should Have
- Only do if there is extra time and budget



- Won't have this time around at all
- 2. Out of budget
- Nice to have but has no real impact



www.esicenter.bg

Project Management PAs (overview)

Requirements management (REQM)

SG1: Manage requirements

Project Planning (PP)

- SG1: Establish Estimates
- SG2: Develop a project plan
- SG3: Obtain Commitment to the plan

Project Monitoring and Control (PMC)

- **o SG1: Monitor Project Against Plan**
- **o SG2: Manage Corrective action to closure**



PMC: Project Monitoring and Control

The purpose of Project Monitoring and Control (PMC) is to provide an understanding of the **project's progress** so that appropriate **corrective** actions can be taken when the project's performance deviates significantly from the plan.



SG 1: Monitor Project Against Plan
Actual performance and progress of the project are monitored against the project plan.

> SG 2: Manage Corrective Action to Closure Corrective actions are managed to closure when the project's performance or results deviate significantly from the plan.



When Project Monitoring and Control Is Not Done Well...

Too much time is spent trying to determine **project status**.

Data needed for management decisions are **not** available when needed.


Corrective action is not taken early when it is least expensive.

Lack of management insight makes project **results** highly unpredictable.

The **customer does not have confidence** in the project status reporting.



Project Monitoring and Control Context



Softwaie Rohtbuic

Contra Shorton Family:

SG 1: Monitor Project Against Plan

SP 1.1 "<u>Monitor Project Planning Parameters</u>" – This practice monitors progress against the parameters established in the project plan (e.g., schedule, cost, expended effort, and resources).

SP 1.2 "<u>Monitor Commitments</u>" - Monitoring emphasizes identifying commitments that have not been satisfied or are at significant risk of not being satisfied and evaluating the impacts of these unsatisfied commitments.

SP 1.3 "<u>Monitor Project Risks</u>" - Monitoring project risks involves periodically reviewing the project's documented risks in light of the current status and circumstances.

SP 1.4 "<u>Monitor Data Management</u>" - Monitoring data management involves periodically reviewing data management activities against their description in the project plan.

SP 1.5 "<u>Monitor Stakeholder Involvement</u>" - Monitoring stakeholder involvement includes periodically reviewing the status of stakeholder involvement and identifying and documenting significant issues and their impacts.

SP 1.6 "<u>Conduct Progress Reviews</u>" - This specific practice is distinct from conduct milestone reviews, which focuses on reviews at major project milestones and phase boundaries. Conducting progress reviews involves regularly communicating status on assigned activities and work products to relevant stakeholders and reviewing the results of collecting and analyzing measures for controlling the project.

SP 1.7 "<u>Conduct Milestone Reviews</u>" - Milestone reviews are conducted at meaningful points in the project's schedule and include reviewing the commitments, plan, status, and risks of the project.

SG 2: Manage Corrective Action to Closure

SP 2.1 "<u>Analyze Issues</u>" - Analyzing issues involves gathering issues for analysis and analyzing them to determine the need for corrective action. Corrective action criteria are established in project planning.

SP 2.2 "<u>Take Corrective Action</u>" - Corrective actions are taken as necessary when issues are identified or when progress differs significantly from what was planned.

SP 2.3 "<u>Manage Corrective Action</u>" - Managing corrective action includes monitoring corrective actions for completion, analyzing the results of corrective actions to determine the effectiveness of the corrective action, and determining and documenting appropriate actions to correct deviations from planned results of corrective actions.



The essence of PMC

• PMC:

- $_{\odot}\,$ monitoring activities
- \circ communicating status
- $_{\odot}\,$ taking corrective action
- Progress at prescribed milestones (WBS/Schedule) comparing to the planned:
 - Actual work product and task attributes
 - Effort, cost, and schedule
- When actual status deviates significantly corrective actions
- Corrective actions may include re-planning (PP)



PMC Actions

- Monitored:
 - Progress against the schedule
 - $\circ~$ Cost, expended effort, staffing and training
 - \circ Actual resources usage
- Deviations documented?
- Internal and external commitments regularly reviewed?
- Risks status regularly reviewed/communicated to relevant stakeholder?
- Data management tasks regularly reviewed?
- Progress reviews:
 - Task status communicated?
 - Results documented?
- Milestone reviews conducted?
- Manage corrective actions to closure
 - Issues analyzed and documented?
 - Corrective actions tracked to closure?
 - Results analyzed?




1. Earned Value Analysis - 1

Objective:

- To measure the progress of an activity, deliverable and/or project by comparing the actual value to planned value, thereby indicating the probability of meeting the scope, time & cost budget of the activity, deliverable and/or project, and need for any corrective actions.
- To analyze the project performance, calculate the variance for schedule and cost and indicates where the project stands in comparison to the estimates calculated earlier for this point in time.






http://www.spmbook.com/downloads/slides/pdf/c03.08-09-executionmonitoringcontrol.key.pdf

1. Earned Value Analysis - 3

Description	EVA Formulas	Result		
Cost Variance (CV)	CV = EV - AC	Positive value is good. Negative value unfavourable.		
Schedule Variance (SV)	SV = EV / PV	Value below $1.0 =$ below par performance. Value above $1.0 =$ above par performance The further away the ratio is from 1.0 the more urgent need to investigate		
Cost Performance Indicator (CPI)	CPI = EV / AC, compares performed to actual cost	>1 means project efficient, <1 means project inefficient		
Schedule Performance Indicator (SPI)	SPI = EV / PV, compares work performed to work planned	>1 means project ahead of schedule, <1 means project behind schedule		
Estimate At Completion (EAC)	EAC = BAC/CPI			
Estimate To Complete (ETC)	ETC = (BAC – EV) / CPI			
http://www.spmbook.com/downloads/slides/pdf/c03.08-09-executionmonitoringcontrol.key.pdf				

www.esicenter.bg

1. Earned Value Analysis - 4



https://www.simplilearn.com/whats-in-earned-value-management-rar84-article

www.esicenter.bg



5. Review Meetings

•The most important resources in projects are people.

•The actions that project people take towards their assigned tasks leads to task completion ontime or delayed.

•In a worst case scenario, a task would not be completed.

•Project control techniques targeted at people must enable the timely completion of tasks.

Delays and incomplete tasks could lead to project delays, depending on whether the activities are in the critical path. In addition, project costs get impacted negatively. Delayed tasks translate to effort that has not been budgeted for, therefore cost of that task to completion goes up.

Simple, yet effective, project control techniques:

•Conducting Daily Team Meetings: As the name implies, this activity involves having a project huddle in which team members give a status update of their tasks. Daily team meetings also involve identifying dependencies and risks to the assigned tasks.

•Conducting Project Health Meetings: These meetings involve the larger team since many projects are broken into sub-projects, intra-project dependencies are analyzed. Various factors are used to access the project health. For example, you can use earned value analysis, team motivation, and client satisfaction.







Example: How PP and PMC work in SCRUM What is Scrum?

Scrum (n): A **framework** within which people can address complex adaptive problems, while productively and creatively delivering products of the highest possible value.

Developers like it
It's fast, easy, and fun

"Go Fast! Make your mistakes quickly so you can discover problems and fix them quickly."



History of Scrum for SW Development

In rugby football, a scrum refers to a tight-packed formation of players with their heads down who attempt to gain possession of the ball.

Jeff Sutherland and Ken Schwaber codified Scrum in 1995 in order to present it at the Oopsla conference in Austin, Texas (US) and published the paper "SCRUM Software Development Process".





Manifesto for Agile Software Development

We are uncovering better ways of developing software by doing it and helping others do it. Through this work we have come to value:

Individuals and interactions over processes and tools Working software over comprehensive documentation Customer collaboration over contract negotiation Responding to change over following a plan

That is, while there is value in the items on the right, we value the items on the left more.

Kent Beck Mike Beedle Arie van Bennekum Alistair Cockburn Ward Cunningham Martin Fowler James Grenning Ro Jim Highsmith S Andrew Hunt K Ron Jeffries Je Jon Kern D Brian Marick

Robert C. Martin Steve Mellor Ken Schwaber Jeff Sutherland Dave Thomas

February 11-13, 2001, at the Lodge at Snowbird ski resort in the Wasatch mountains of Utah, USA









Event	Inspection	Adaptation	
Sprint Planning	 Product Backlog (Commitments Retrospective) (Definition of Done) 	 Sprint Goal Forecast Sprint Backlog 	
Daily Scrum	 Progress toward Sprint Goal 	 Sprint Backlog Daily Plan 	
Sprint Review	 Product Increment Product Backlog (Release) Market-business conditions 	• Product Backlog	
Sprint Retrospective	 Team & collaboration Technology & engineering Definition of Done 	 Actionable improvements 	





Adapted from Dr ian mitchell - Own work, CC BY-SA 4.0, https://commons.wikimedia.org/w/index.php?curid=44894952





Adapted from Dr ian mitchell - Own work, CC BY-SA 4.0, https://commons.wikimedia.org/w/index.php?curid=44894952



Daily Scrum

The Daily Scrum is held at the same time and place each day to reduce complexity. The Scrum Master ensures/teaches how the Development Team conducts the meeting in 15 min. Development Team is responsible for conducting the Daily Scrum.

- What did I do yesterday that helped the Development Team meet the Sprint Goal?
- What will I do today to help the Development Team meet the Sprint Goal?
- Do I see any impediment that prevents me or the Development Team from meeting the Sprint Goal?

The Development Team or team members often meet immediately after the Daily Scrum for detailed discussions.



Remember - Generic practices ML2?

- GP2.1: Establish an Organizational Policy
- GP2.2: Plan the Process
- GP2.3: Provide Resources
- GP2.4: Assign Responsibility
- GP2.5: Train People
- GP2.6: Manage Work Products
- GP2.7: Identify and Involve Relevant Stakeholders
- **GP2.8: Monitor and Control the Process**
- GP2.9: Objectively Evaluate Adherence
- GP2.10: Review Status with Higher Level Management



Sampling the Generic Practices


GP 2.8: Monitor and Control the Process Monitor and control the project monitoring and control process against the plan for performing the process and take appropriate corrective action.

Elaboration for Project Monitoring and Control Examples of measures and work products used in monitoring and controlling include the following:

- $\circ\,$ number of open and closed corrective actions
- schedule with status for monthly financial data collection, analysis, and reporting
- number and types of reviews performed
- review schedule (planned versus actual and slipped target dates)
- schedule for collection and analysis of monitoring data




How PMC relates to Generic Practices?



Source: Kiril Karaatanasov, ESI Center Bulgaria





Just to mention SAM (Supplier Agreement Management)

The purpose of Supplier Agreement Management (SAM) is to manage the acquisition of products and services from suppliers.



GOALS <u>SG 1: Establish Supplier Agreements</u> Agreements with the suppliers are established and maintained.

SG 2: Satisfy Supplier Agreements

Agreements with suppliers are satisfied by both the project and the supplier.



The essence of SAM

Applies to the acquisition of:

products/components that are delivered to the project's customer

significant products/components not delivered to the project's customer (for example, development tools and test environments).

Does not apply when supplier is part of the team

Suppliers:

in-house vendors

fabrication capabilities and laboratories

commercial vendors

The acquired product is delivered to the project from the supplier and becomes part of the products delivered to the customer



compete by

SAM Practices:

- Type of acquisition (COTS, contract, in-house, from the customer) determined?
- Supplier selection based on evaluation?
- Criteria for evaluation established/documented?
- Criteria for evaluation of proposals?
- Agreement with supplier documented?
- Agreement revised during project?
- Criteria of evaluation of COTS?
- Risk analysis performed on COTS?
- Monitoring activities defined in the agreement?
- Technical/management reviews with supplier performed?

Acceptance test/verification performed and results documented?

ESI Saturia Softwaie Softwaie

Next: Supporting PAs ML2:

- Requirements Management
- Project Planning
- Project Monitoring & Control
- Process and Product Quality Assurance
- Measurement & Analysis
- Configuration Management
- Supplier Agreement Management



Supporting Process Areas, ML2 (overview)



Supporting PAs (overview)

Process and Product Quality Assurance (PPQA)

- **o** SG 1: Objectively Evaluate Processes and Work Products
- SG 2: Provide Objective Insight

Measurement and Analysis (MA)

- $_{\odot}~$ SG 1: Align Measurement and Analysis Activities
- SG 2: Provide Measurement Results

Configuration Management (CM)

- o SG 1: Establish Baselines
- SG 2: Track and Control Changes
- SG 3: Establish Integrity

Process & Product Quality Assurance (PPQA)

The purpose of Process and Product Quality Assurance (PPQA) is to provide **staff and management** with objective insight into **processes** and associated **work products**.



What PPQA provides?

Management knows if **process assets** are being used

Failures to follow process that may endanger projects become visible early on

Problems with **process definitions** are uncovered and addressed Process descriptions are **followed**



Terminology

Quality assurance

 A planned and systematic means for assuring management that defined standards, practices, procedures, and methods of the process are applied.

Objectively evaluate

 To review activities and work products against criteria that minimize subjectivity and bias by the reviewer.



compete by

Analyze that (1):

"I'd rather have it wrong than have it late. We can always fix it later."



Process and Product Quality Assurance (PPQA)

The purpose of Process and Product Quality Assurance (PPQA) is to provide staff and management with objective insight into processes and associated work products.




ALS <u>SG 1: Objectively Evaluate Processes and Work Products</u> Adherence of the performed process and associated work products to applicable process descriptions, standards, and procedures is objectively evaluated.

> <u>SG 2: Provide Objective Insight</u> Noncompliance issues are objectively tracked and communicated, and resolution is ensured.



Process and Product Quality Assurance - Context






PPQA Practices translated:

- Are QA evaluations performed on processes/workproducts according to predefined criteria?
- Performed processes adhere to the standards, process descriptions and procedures?
- Non-compliance identified during the QA evaluations of processes/work products?
- Lessons learned collected?
- Non-compliances resolved within the project/escalated?
- Relevant stakeholders aware of the results of the QA evaluations?
- Management reviews on non-compliances on periodic basis?
- Non-compliances tracked until closure?
- QA activities documented in sufficient detail?
- QA status and results known?



How PPQA relates to Generic Practices?



Source: Kiril Karaatanasov, ESI Center Bulgaria



ELEVATOR WORK IN PROGRESS

YES, WE KNOW, WE'VE BEEN WORKING ON THEM SINCE 1988

WE HAVE NO IDEA WHEN THEY WILL BE FIXED

AND WE ALSO HAVE NO IDEA WHAT WE'RE DOING

PARK LANE ELEVATOR REPAIR COMPANY

Analyze that (3):

What's wrong?

PAs SPs GPs ... we?



Supporting PAs (overview)

Process and Product Quality Assurance (PPQA)

- SG 1: Objectively Evaluate Processes and Work Products
- SG 2: Provide Objective Insight

Measurement and Analysis (MA)

- SG 1: Align Measurement and Analysis Activities
- **o SG 2: Provide Measurement Results**

Configuration Management (CM)

- SG 1: Establish Baselines
- SG 2: Track and Control Changes
- SG 3: Establish Integrity



Measurement & Analysis

The purpose of Measurement and Analysis (MA) is

to develop and sustain

a measurement capability that is used to support management information needs.



What does Measurement and Analysis Provide?

Insight to process performance

Means to compare different instances - past to present, project to project, team to another team etc.

Signals deviations from planned parameters

Basis for statistical management



Terminology

Base Measure

- A distinct property or characteristic of an entity and the method for quantifying it.
- **Derived Measure**
 - Data resulting from the mathematical function of two or more base measures.



Measurement and Analysis

The purpose of Measurement and Analysis (MA) is to develop and sustain a measurement capability used to support management information needs.




<u>SG 1: Align Measurement and Analysis Activities</u> Measurement objectives and activities are aligned with identified information needs and objectives.

<u>SG 2: Provide Measurement Results</u> Measurement results, which address identified information needs and objectives, are provided.



compete by

Measurement & Analysis - Context



The essence of MA

- Specifying objectives of measurement/analysis aligned with information needs
- Specifying measures, data collection and storage mechanisms, analysis techniques, and reporting and feedback mechanisms
- Implementing the collection, storage, analysis, and reporting of the data
- Providing objective results for making informed decisions, and taking appropriate corrective actions
- Integration of measurement and analysis into the project supports:
 - Planning and estimating
 - Tracking actual performance against established plans and objectives
 - Identifying and resolving process-related issues
 - Providing a basis for incorporating measurement into additional processes in the future
- The staff from the projects or separate organization functions (e.g., QA).
- Initial focus at the project level, MA might be useful for organization/enterprise information needs.
- Project-specific data/results stored in a project-specific repository or organization's measurement repository.



REQM (Requirements Management)

1. Requirements volatility (percentage of requirements changes)

- 2. Number of requirements by type or status (defined, reviewed, approved, and implemented)
- 3. Cumulative number of changes to the allocated requirements, including total number of changes proposed, open, approved, and incorporated into the system baseline
- 4. Number of changes requests per month, compared to the original number of requirements for the project
- 5. Number of time spent, effort spent, cost of implementing change requests
- 6. Number and size of change requests after the Requirements phase is finished
- 7. Cost of implementing a change request
- 8. Number of change requests versus the total number of change requests during the life of the project
- 9. Number of change requests accepted but not implemented

10. Number of requirements (changes and additions to the baseline)



PP (Project Planning)

- 1. Completion of milestones for the project planning activities compared to the plan (estimates versus actuals)
- 2. Work completed, effort expended, and funds expended in the

project planning activities compared to the plan

3. Number of revisions to the project plans

- 4. Cost, schedule, and effort variance per plan revision
- 5. Re-planning effort due to change requests
- 6. Effort expended over time to manage the project compared to the plan !
- 7. Frequency, causes, and magnitude of the re-planning effort



compete by

PMC (Project Monitoring and Control)

- 1. Effort and other resources expended in performing monitoring and oversight activities (cost of monitoring)
- 2. Change activity for the project plan, which includes changes to size estimates of the work products, cost estimates, resource estimates, and schedule
- 3. Number of open and closed corrective actions or action items
- 4. Project milestone dates (planned versus actual)
- **5.** Number of project milestone dates made on time
- 6. Number and types of reviews performed
- 7. Schedule, budget, and size variance between planned versus actual reviews
- 8. Comparison of actuals versus estimates for all planning and tracking items



compete by

MA (Measurement and Analysis)

1. Number of projects using progress and performance measures

2. Number of measurement objectives addressed

SAM (Supplier Agreement Management)

- 1. Cost of the COTS (commercial off-the-shelf) products
- 2. Cost and effort to incorporate the COTS products into the project
- 3. Number of changes made to the supplier requirements
- 4. Cost and schedule variance per supplier agreement
- 5. Costs of the activities for managing the contract compared to the plan
- 6. Actual delivery dates for contracted products compared to the plan
- 7. Actual dates of prime contractor deliveries to the subcontractor compared to the plan
- 8. Number and severity of errors found after delivery
- 9. Number of on-time deliveries from the vendor, compared with the contract
- 10.Number of exceptions to the contract to ensure schedule adherence
- 11.Number of quality audits compared to the plan
- 12.Number of senior management reviews to ensure adherence to budget / schedule versus the plan
- 13.Number of contract violations by supplier or vendor

Process and Product Quality Assurance (QA)

- 1. Completions of milestones for the QA activities compared to the plan
- 2. Work completed, effort expended in the QA activities compared to the plan
- 3. Numbers of product audits and activity reviews compared to the plan
- 4. Number of process audits and activities versus those planned
- 5. Number of defects per release or build
- 6. Amount of time/effort spent in rework
- 7. Amount of QA time/effort spent in each phase of the life cycle
- 8. Number of reviews and audits versus number of defects found
- 9. Total number of defects found in internal reviews and testing versus those found by the customer or end user after delivery
- 10. Number of noncompliances written versus number resolved
- 11. Number of defects found in each phase of the life cycle
- 12. Number of defects injected during each phase of the life cycle
- 13. Number of noncompliances elevated to senior management
- 14. Complexity of module or component (McCabe, McClure, and Halstead metrics)

compete by excellence

Configuration Management (CM)

1. Number of change requests processed per unit of time

- 2. Completions of milestones for the CM activities compared to the plan
- 3. Work completed, effort expended, and funds expended in the CM activities

4. Number of changes to configuration items

- 5. Number of configuration audits conducted
- 6. Number of fixes returned as "Not Yet Fixed"
- 7. Number of fixes returned as "Could Not Reproduce Error"
- 8. Number of violations of CM procedures (noncompliance found in audits)
- 9. Number of outstanding problem reports versus rate of repair
- 10. Number of times changes are overwritten by someone else (or number of times people have the wrong initial version or baseline)
- 11. Number of engineering change proposals proposed, approved, rejected, implemented
- 12. Number of changes by category to code source, and to supporting documentation
- 13. Number of changes by category, type, and severity

14. Source lines of code stored in libraries placed under configuration control

The lessons ... ? Analysis paralysis ?

Michael J. Ashworth, CIO of the investment banking unit at J.P. Morgan Chase & <u>Co</u> stated that the move from Level 1 to Level 2 brought with it more reliable planning, so application features were more likely to be right the first time, reducing costly rework. The investment bank has seen the following additional benefits, he said:

A 20% to 25% reduction in postimplementation defects.

Reduced efforts to support operational systems because they are more reliable. "Emergency" releases to fix bugs have fallen by 60%.

Better management of globally distributed projects **because terminology and specifications are standardized.**

Better performance from suppliers because requirements are better specified.

Nevertheless, Ashworth cautions against "analysis paralysis" when it comes to evaluating the results of CMM.

"We found it not useful to spend too much time trying to measure things, rather than just doing it"

(Quality Model Mania, Gary Anthes, Computerworld IT Management, 2004)




Generic practices

- GP2.1: Establish an Organizational Policy
- GP2.2: Plan the Process
- GP2.3: Provide Resources
- GP2.4: Assign Responsibility
- GP2.5: Train People
- GP2.6: Control Work Products
- GP2.7: Identify and Involve Relevant Stakeholders
- GP2.8: Monitor and Control the Process
- GP2.9: Objectively Evaluate Adherence

GP2.10: Review Status with Higher Level Management



How MA relates to Generic Practices?



Source: Kiril Karaatanasov, ESI Center Bulgaria



Supporting PAs (overview)

Process and Product Quality Assurance (PPQA)

- SG 1: Objectively Evaluate Processes and Work Products
- SG 2: Provide Objective Insight

Measurement and Analysis (MA)

- SG 1: Align Measurement and Analysis Activities
- SG 2: Provide Measurement Results

Configuration Management (CM)

- SG 1: Establish Baselines
- SG 2: Track and Control Changes
- SG 3: Establish Integrity



Configuration Management (CM)

The purpose of Configuration Management (CM) is to establish and maintain the integrity of work products using configuration identification, configuration control, configuration status accounting, and configuration audits.



SG 2: Track and Control Changes

Changes to the work products under configuration management are tracked and controlled.

SG 3: Establish Integrity

Integrity of baselines is established and maintained.



What does CM Provide?

State of components is known and there is confidence what and when can be released

When needed baselines can be recovered

Changes from baseline are identifiable

Past product releases can be rebuilt

Reasons for changes to plans are clear



Terminology CM


Baseline

 A set of specifications or work products that has been formally reviewed and agreed on, which thereafter serves as the basis for further development, and which can be changed only through change control procedures. (See also "configuration baseline" and "product baseline.")



compete by

Configuration Management - Context



The essence of CM

CM Involves:

Identifying the configuration of work products that compose the baselines Controlling changes to configuration items Building work products from the configuration management system Maintaining the integrity of baselines Providing status / configuration data to developers, end users, and customers

Work products placed under configuration management:

products delivered to the customer internal work products

acquired products

tools

Configuration item may be: configuration component configuration unit

Baselines:

provide a basis for evolution of configuration items added to the configuration management system as they are developed Changes to, are systematically controlled/monitored

This PA applies not only to **projects, but also to organization work products** (standards, procedures, etc)

This PA is applicable to all work products that are placed under configuration management.



CM practices

Configuration items/work products selected in the initial planning of the project? An owner responsible for each CI? Configuration management system supports multiple control levels? Employees can store and recover the different versions of CI's in the CMS? Team members store, update and retrieve CM Records in the CMS? CMS supports the creation of CM Reports? Contents of CMS's preserved? Baselines built and released from CI's kept in the CMS? **Descriptions** about the set of CI's that comprise each baseline? Change requests initiated and recorded, their impact analyzed? Current set of baselines available in the CMS? Change requests reviewed with the affected people? Changes tracked to closure, in order to check that all changes have been incorporated? Changed CI's entered into the CMS only after obtaining authorisation? After each CM action, are CI's content and status updated and is it possible to recover previous versions of CI's? Is the CI's records' correctness/CMS structure and integrity verified/reviewed through audits?



Example

On June 4, 1996 an unmanned Ariane 5 rocket launched by the European Space Agency exploded just forty seconds after its lift-off from Kourou, French Guiana. The rocket was on its first voyage, after a decade of development costing **\$7 billion**. The destroyed rocket and its cargo were valued at **\$500 million**.

A board of inquiry investigated the causes of the explosion and in two weeks issued a report. It turned out that the cause of the failure was a software error in the inertial reference system.

Specifically a **64 bit floating point number** relating to the horizontal velocity of the rocket with respect to the platform was converted to a **16 bit signed integer**.

The number was larger than 32,767, the largest integer storeable in a 16 bit signed integer, and thus the conversion failed.



The Explosion of the Ariane 5




compete by excellence


Example (2)

05 October 2021

https://www.computerweekly.com/news/252507717/Facebook-unplugged-for-six-hours-due-to-configuration-error




How CM relates to Generic Practices?



Source: Kiril Karaatanasov, ESI Center Bulgaria




Summary: How support process areas fit?





Example: Company Capability Profile (compare to Maturity Level profiles of Staged representation)





Example: Sample certification List available at http://seir.sei.cmu.edu/pars/



List of Published SCAMPI Appraisal Results

ORGANIZATION NAME:	Soluziona, S. A.
SPONSOR NAME:	Santiago Escribano
LEAD APPRAISER NAME:	Jose Arias
SEI PARTNER:	European Software Institute
APPRAISAL END DATE:	11/25/2005
MATURITY LEVEL ASSIGNED:	3
APPRAISED ORGANIZATIONAL	UNIT:
Entity Name:	SOLUZIONA - Area de Tecnologia
Location(s):	Madrid, Spain
CMMI MODEL USED:	CMMI-SW, V1.1, Staged
APPRAISAL METHOD USED:	SCAMPI v1.1

MODEL SCOPE & CAPABILITY RATINGS ASSIGNED:

Process Management		Project Management		Engineering		Support	
OPF	Satisfied	PP	Satisfied	REQM	Satisfied	СМ	Satisfied
OPD	Satisfied	PMC	Satisfied	RD 🗧	Satisfied	PPQA	Satisfied
OT 🚦	Satisfied	SAM	Not Applicable	TS 📕	Satisfied	MA	Satisfied
OPP	Not Satisfied	IPM	Satisfied	PI 📒	Satisfied	DAR	Satisfied
OID	Not Rated	RSKM	Satisfied	VER	Satisfied	OEI	Not Rated
		IT	Not Rated	VAL 🚦	Satisfied	CAR	Not Rated
		ISM	Not Rated				
		QPM	Not Satisfied				



www.esicenter.bg

compete by